



Meeting Notice

Town of Duxbury, Massachusetts

Pursuant to MGL Chapter 30A, §18-25
All meeting notices and agenda must be filed and time stamped
in the Town Clerk's Office and posted at least 48 hours prior to
the meeting (excluding Saturdays, Sundays and Holidays)

TOWN CLERK'S STAMP

TOWN CLERK

2022 JAN 11 PM 1:39

DUXBURY, MASS.

Committee: BOARD OF HEALTH

Meeting Location: Remote Video Conference

Day & Date of Meeting: THURSDAY JANUARY 20, 2022 Time: 7:00 P.M.

Posted by: TRACY MAYO, HEALTH AGENT

AGENDA

Pursuant to Governor Baker's Chapter 20 of the Acts of 2021 dated June 16, 2021, An Act Relative to Extending Certain Covid-19 Measures Adopted During the State of Emergency regarding suspending certain provisions of the Open Meeting Law, G.L. c. 30A, §18, the Town of Duxbury's Board and/or Committee meetings will be conducted via remote participation to the greatest extent possible with members. For this meeting, members of the public who wish to watch the meeting may do so by viewing the Duxbury Government Access Channels – **Verizon 39 or Comcast 15**. Viewers can visit www.pactv.org/duxbury for information about Duxbury programming including streaming on Duxbury YouTube, to watch replays and Video on Demand.

Every effort will be made to ensure that the public can adequately access the proceedings to the best of our technical abilities; and despite our best efforts due to lack of technical infrastructure, this meeting will be available on PACTV to view a video recording and a transcript or other comprehensive record of proceedings will be available as soon as possible after the meeting.

*Public phone-in access will be available during this meeting at 781-934-1100 Ex 5490
Public email access will be available during this meeting at mayo@duxbury-ma.gov*

I. BUSINESS BEFORE THE BOARD

1. COVID updates and discussion

2. 617 Union St

Parcel# 026-011-000

Owner: Mary-Anne Ganley

Variance to 310 CMR 15.405(1)(i), to allow the use of a comparative sieve analysis in accordance with department guidance if a percolation test cannot be performed.

Variance to Duxbury Supplementary Rules & Regulations 1.11(1)(b), allowing the proposed SAS to be constructed 4' above maximum high groundwater vs. the required 5'.

3. 28 Hornbeam Road

The listings of matters are those reasonably anticipated by the chair which may be discussed at the meeting. Not all items listed may in fact be discussed and other items not listed may also be brought up for discussion to the extent permitted by law.

Parcel# 110-975-002
Owner: Christopher Turner

Variance to Duxbury Supplementary Rules & Regulations 1.10(1)(a) allowing the proposed soil absorption system to be located 132' from a wetland vs. the required 150'.

4. Continued Discussion with the Duxbury Safe Water Committee regarding concerns to the Town's public water supply

ADJOURNMENT

NEXT BOARD OF HEALTH MEETING IS SCHEDULED FOR FEBRUARY 17, 2022